ELSEVIER

Journal of Magnetism and Magnetic Materials 258–259 (2003) xiii–xix

Journal of magnetism and magnetic materials

www.elsevier.com/locate/jmmm

Contents

Preface xi

Committees xii

Micromagnetism and magnetization reversal

D. Givord, M. Rossignol and V.M.T.S. Barthem
The physics of coercivity 1

N.A. Usov, Yu.B. Grebenshchikov, L.G. Kurkina, C.-R. Chang and Z.-H. Wei
Micromagnetics of nanostructures 6

A. Michels and J. Weissmüller
A comparison of torque-strengths in micromagnetics 11

M.V. Chetkin, Yu.N. Kurbatova and T.B. Shapaeva
Dynamics of antiferromagnetic vortices in the domain wall of canted antiferromagnet-yttrium orthoferrite 15

V.I. Nikitenko, V.S. Gornakov, Yu.P. Kabanov, A.J. Shapiro, R.D. Shull, C.L. Chien, J.S. Jiang and S.D. Bader
Magneto-optical indicator film study of the hybrid exchange spring formation and evolution processes 19

A.S. Arrott
Magnetic random access memories, Brown's paradox and hysterons 25

N.I. Polushkin, K.V. Rao, J. Wittborn, A.M. Alexeev and A.F. Popkov
Visualization of small magnetic entities by nonmagnetic probes of atomic force microscope 29

M.D. Costa and Y.G. Pogorelov
Continuum model for dipolar coupled planar lattices 32

A.W. Spargo, P.H.W. Ridley and G.W. Roberts
Gilbert damping in polycrystalline thin films 35

A.T. Bikmeyev and M.A. Shamsutdinov
Magnetoelastic domain structure in tetragonal antiferromagnet 39

A. Alexeev, V.A. Bykov, A.F. Popkov, N.I. Polushkin and V.I. Korneev
Remanent state studies of elliptical magnetic particles 42

A.A. Bush, Y.K. Fetisov, K.E. Kamentsev, V.F. Meshcheryakov and G. Srinivasan
Magnetic and microwave properties of (Ni,Co)Fe_2O_4-ferroelectric and (La,Ca,Sr)MnO_3-ferroelectric multilayer structures 45

A.K. Murtazaev, V.A. Mutailamov, I.K. Kamilov, K.S. Khizriev and Y.K. Abuev
Investigation on the critical dynamics of real magnetics models by computational physics methods 48

B.I. Reser
Calculation of local magnetic characteristics of ferromagnetic metals taking into account the dynamic spin fluctuations 51

S. Gudoshnikov, B. Liubimov, L. Matveets, M. Ranchinski, N. Usov, S. Gubin, G. Yurkov, O. Snigirev and I. Volkov
Magnetic properties of Fe-based nanoparticle assembly 54

A. Radkovskaya, N. Perov, A. Sivov, A. Getman and N. Sudarikova
Magnetostatic properties of thin Fe films 57

Transport phenomena

L.R. Tagirov, B.P. Vodopyanov and B.M. Garipov
Giant magnetoresistance in quantum magnetic contacts 61

H. Sato, Y. Abe, T.D. Matsuda, K. Abe, T. Namiki, H. Sugawara and Y. Aoki
Anomalous transport properties in the filled skutterudites 67

W. Eerenstein, L. Kalev, L. Niesen, T.T.M. Palstra and T. Hibma
Magneto-resistance and superparamagnetism in magnetite films on MgO and $MgAl_2O_4$ 73

A.V. Vedyayev, B. Dieny, N.V. Ryzhanova, I.V. Zhukov, M.Y. Zhuravlev and H.O. Lutz
Injection of spin-polarized current into semiconductor 77

E.M. Epshtein, A.I. Krikunov and Y.F. Ogrin
Planar Hall effect in thin-film magnetic structures. Cobalt films on silicon substrates 80

A.V. Khvalkovskii, A.S. Mischenko and A.K. Zvezdin
Volt–ampere characteristics of spin half-metallic transistor 84

A.B. Granovsky, A.V. Kalitsov, A.B. Khanikaev and N. Kioussis
Influence of grain size on the extraordinary Hall effect in magnetic granular alloys 87

0304-8853/03/$ - see front matter

V. Da Costa, M. Romeo and F. Bardou
Statistical properties of currents flowing through tunnel junctions 90

Magnetooptics

A.A. Fedyanin, T. Yoshida, K. Nishimura, G. Marowsky, M. Inoue and O.A. Aktsipetrov
Nonlinear magneto-optical Kerr effect in gyrotropic photonic band gap structures: magneto-photonic microcavities 96

T.V. Murzina, T.V. Misuryaev, A.A. Nikulin, O.A. Aktsipetrov and J. Güdde
Correlation between GMR and nonlinear magneto-optical Kerr effect in granular films 99

A.B. Granovsky, M.V. Kuzmichov, J.-P. Clerc and M. Inoue
Effective-medium theory for nonlinear magneto-optics in magnetic granular alloys: cubic nonlinearity 103

A.K. Zvezdin, A.P. Pyatakov, V.I. Belotelov and V.A. Kotov
Surface nonlinear magneto-optical effects in rhombic antiferromagnetics 106

M. Fiebig, D. Fröhlich, Th. Lottermoser, V.V. Pavlov, R.V. Pisarev and H.-J. Weber
Second harmonic generation of magnetic-dipole type in the centrosymmetric antiferromagnets NiO and $KNiF_3$ 110

Low dimensional magnetism

I. Yamada and H. Manaka
Effect of bond randomness on magnetic states in ferromagnetic–antiferromagnetic alternating chains $(CH_3)_2CHNH_3CuCl_3$ 114

B. Raquet, M. Viret, M. Costes, M. Baibich, M. Pannetier, M. Blanco-Mantecon, H. Rakoto, A. Maignan, S. Lambert and C. Fermon
Electronic noise in magnetic low-dimensional materials and nanostructures 119

M. Isobe, Y. Ueda, A.N. Vasiliev, T.N. Voloshok and O.L. Ignatchik
Long-range and short-range magnetic order in $NaVGe_2O_6$ 125

A.V. Ponomareva, L.V. Pourovskii, E.I. Isaev, Y.K. Vekilov, B. Johansson and I.A. Abrikosov
Surface magnetism of vanadium-based binary alloys: first principles investigations 128

G.S. Patrin, N.V. Volkov and I.V. Prokhorova
Antiferromagnetism in the quasi-two-dimensional $(CH_3NH_3)_2CuBr_4$ crystal 131

E. Popov and I. Edelman
Optical absorption of the diluted 2-d antiferromagnet Rb_2MnCl_4 134

O. Yalçın and B. Aktaş
The Effects of Zn^{2+} doping on Spin-Peierls transition in $CuGeO_3$ 137

Y. Köseoğlu, R. Yilgin, J.V. Yakhmi, J. Qin, X. Chen and B. Aktas
X-, K- and Q-band ESR studies on intercalated $Fe_{0.9}PS_3(Phen)_{0.4}$ 141

Magnetoimpedance and HF properties

M. Ledieu and O. Acher
New achievements in high-frequency permeability measurements of magnetic materials 144

A. Zhukov, V. Zhukova, J.M. Blanco, A.F. Cobeño, M. Vazquez and J. Gonzalez
Magnetostriction in glass-coated magnetic microwires 151

V.M. Prida, B. Hernando, M.L. Sánchez, Y.-F. Li, M. Tejedor and M. Vázquez
Torsional impedance effect in Fe-rich amorphous wires 158

A.N. Lagarkov, V.N. Semenenko, V.N. Kisel and V.A. Chistyaev
Development and simulation of microwave artificial magnetic composites utilizing nonmagnetic inclusions 161

M. Vroubel, Y. Zhuang, B. Rejaei and J. Burghartz
Patterned FeNi thin film for RF and microwave components 167

C. Kim, Y. Rheem, C.-O. Kim, S. Yoon, E.A. Ganshina, M.Yu. Kochneva and D.A. Zaichenko
High-temperature dependence of asymmetric giant magnetoimpedance and magnetostatic properties in Co-based amorphous ribbon 170

E.E. Shalyguina, M.A. Komarova, V.V. Molokanov, C.-O. Kim, C. Kim and Y. Rheem
Near-surface magnetic properties and giant magnetoimpedance of Co-based amorphous ribbons 174

J. González, A. Chizhik, A. Zhukov and J.M. Blanco
Surface magnetic behavior of nearly zero magnetostrictive Co-rich amorphous microwires 177

B. Hernando, V.M. Prida, M.L. Sanchez, P. Gorria, G.V. Kurlyandskaya, M. Tejedor and M. Vazquez
Magnetoimpedance effect in Co-rich metallic glasses 183

V. Zhukova, A. Zhukov, J.M. Blanco, N. Usov and J. Gonzalez
Effect of applied stress on remagnetization and magnetization profile of Co–Si–B amorphous wire 189

A.S. Antonov, N.A. Buznikov and A.L. Rakhmanov
Magnetization reversal process and nonlinear magnetoimpedance in multilayered films 192

I.T. Iakubov, A.N. Lagarkov, S.A. Maklakov, A.V. Osipov, K.N. Rozanov, I.A. Ryzhikov, N.A. Simonov and S.N. Starostenko
Experimental study of microwave permeability of thin Fe films 195

A.S. Antonov, N.A. Buznikov, M.M. Filatov, V.P. Goncharov, A.A. Rakhmanov and A.L. Rakhmanov
Effects of longitudinal AC magnetic field on frequency spectrum of voltage response of soft magnetic conductors 198

V.A. Tulin, M.V. Astahov and A.O. Rodin
Amorphous ferromagnetic microwire in the microwave cavity. Ferromagnetic resonance and absorption 201

Strongly correlated systems

A. Solontsov and C. Lacroix
Nonlinear spin fluctuations in the Fermi liquid of itinerant electron ferromagnets 204

S.G. Ovchinnikov
Magnetism, superconductivity, and strong electron correlations in ruthenates 210

W. Koshibae and S. Maekawa
Effect of spin and orbital on thermopower in strongly correlated electron systems 216

F.A. Kassan-Ogly and B.N. Filippov
Exact solutions of one-dimensional Potts models in magnetic field 219

N. Sluchanko, V. Glushkov, S. Demishev, L. Weckhuysen, V. Moshchalkov and A. Menovsky
The regime of strong Hubbard correlations and magnetic ground state formation in FeSi 222

N.E. Sluchanko, A.V. Bogach, V.V. Glushkov, S.V. Demishev, G.S. Burkhanov and O.D. Chystyakov
Low temperature transport anomalies in magnetic Kondo-lattice $CeAl_2$ 225

V. Yu. Irkhin
Non-collinear magnetic structures and first-order magnetization process in rare-earth systems 228

Yu.P. Irkhin
Magnetic anisotropy, first-order magnetization process and the Brown paradox in rare-earth compounds 231

R.O. Zaitsev
On the ferromagnetism of high-spin states 234

V.A. Ivanov, P.M. Krstajic, F.M. Peeters, V. Fleurov and K. Kikoin
On the nature of ferromagnetism in dilute magnetic semiconductors: GaAs:Mn and GaP:Mn 237

V.I. Grebennikov
Magnetic effects on the resonant inelastic soft X-ray scattering in the transition metal oxides 241

K.D. Belashchenko and V.P. Antropov
Bridging the gap between micromagnetism and ab initio calculations: basic hysteretic properties of CoPt-type magnets 244

Yu. Uspenskii, E. Kulatov, H. Mariette, H. Nakayama and H. Ohta
Ab initio study of the magnetism in GaAs, GaN, ZnO, and ZnTe-based diluted magnetic semiconductors 248

Manganites and semiconductors

D.I. Khomskii and K.I. Kugel
Elastic interactions and superstructures in manganites 251

V.A. Atsarkin, V.V. Demidov, F. Simon, R. Gaal, Y. Moritomo, K. Conder, A. Jánossy and L. Forró
Electron spin relaxation in CMR manganites: absence of critical acceleration 256

F. Moussa, M. Hennion, P. Kober, F. Wang, J. Carvajal-Rodríguez, P. Reutler, Y.M. Mukovskii and D. Shulyatev
Approach to the insulator–metal transition in low doped manganites by neutron scattering 259

N.A. Babushkina, E.A. Chistotina, A.V. Inyushkin, A.N. Taldenkov, O.Yu. Gorbenko, A.R. Kaul and K.I. Kugel
Inhomogeneous states and isotope substitution in manganites 265

K.N. Mikhalev, I.A. Fogel', S.A. Lekomtsev, A.P. Gerashenko, V.V. Serikov and A.R. Kaul'
NMR probe of phase separation in lightly doped manganites 268

A. Taldenkov, N. Babushkina and A. Inyushkin
Phase diagram of $(La_{0.25}Pr_{0.75})_{0.7}Ca_{0.3}MnO_3$ with ^{18}O isotope 271

Yu.P. Sukhorukov, N.N. Loshkareva, E.V. Mostovshchikova, A.S. Moskvin, E.V. Zenkov, E.A. Ganshina, I.K. Rodin, A.R. Kaul, O.Yu. Gorbenko and A.A. Bosak
Phase separation and electronic structure in La_xMnO_3 $(0.83 \leqslant x \leqslant 1.10)$ films 274

N.N. Loshkareva, E.A. Ganshina, B.I. Belevtsev, Yu.P. Sukhorukov, E.V. Mostovshchikova, A.N. Vinogradov, V.B. Krasovitsky and I.N. Chukanova
Optical, magneto-optical and transport properties of $La_{1-x}Sr_xCoO_3$ $(x = 0.15; 0.25; 0.35)$ films: spin-state transition effects 277

B.I. Belevtsev, V.B. Krasovitsky, A.S. Panfilov and I.N. Chukanova
Magnetoresistance and magnetic anisotropy in $La_{0.5}Sr_{0.5}CoO_{3-\delta}$ film 280

S.M. Dunaevsky and V.V. Deriglazov
Orbital degeneracy and magnetic phases of electron-doped manganites 283

G.E. Grechnev, R. Ahuja, B. Johansson and O. Eriksson
Electronic structure and magnetic properties of lithium manganese spinels 287

D.P. Kozlenko, V.P. Glazkov, R.A. Sadykov, B.N. Savenko, V.I. Voronin and I.V. Medvedeva
Structural study of pressure-induced magnetic phase transitions in manganites $La_{0.67}Ca_{0.33}MnO_3$ and $Pr_{0.7}Ca_{0.3}MnO_3$ 290

P. Levy, F. Parisi, J. Sacanell, L. Granja, M. Quintero, J. Curiale, G. Polla, G. Leyva, R.S. Freitas, L. Ghivelder, C. Acha, T.Y. Koo and S.-W. Cheong
Persistent magnetoresistive memory in phase separated manganites 293

A.O. Sboychakov, A.L. Rakhmanov, K.I. Kugel, M.Yu. Kagan and I.V. Brodsky
Tunneling magnetoresistance of phase-separated manganites 296

V.V. Sikolenko, E.V. Pomjakushina and S.Ya. Istomin
Neutron diffraction studies of $La_{1-x}Sr_xCoO_3$ magnetic structure at $x=0.15$ and 0.3 300

N.V. Volkov, G.A. Petrakovskii, V.N. Vasiliev, K.A. Sablina and K.G. Patrin
Magnetic resonance probe of the phase separation in $Eu_{0.7}Pb_{0.3}MnO_3$ single crystal 302

L.M. Fisher, A.V. Kalinov, I.F. Voloshin, N.A. Babushkina, K.I. Kugel and D.I. Khomskii
$Pr_{1-x}Ca_xMnO_3$ system in the crossover region between different kinds of magnetic ordering 306

M.H. Phan, S.B. Tian, D.Q. Hoang, S.C. Yu, C. Nguyen and A.N. Ulyanov
Large magnetic-entropy change above 300 K in CMR materials 309

A.N. Ulyanov, I.S. Maksimov, E.B. Nyeanchi, S.C. Yu, Yu.V. Medvedev, N.Yu. Starostyuk and B. Sundqvist
Crystal symmetry and pressure effects on the properties of mixed-valence manganites 312

A.V. Lazuta, V.A. Ryzhov, A.I. Kurbukov, V.A. Trounov, I.I. Larionov, O. Gorbenko and A. Kaul
Magic hole doped composition of $^{152}Sm_{1-x}Sr_xMnO_3$ manganite: crystal structure and unusual magnetic properties in paramagnetic phase at $x = 0.45$ 315

A.I. Abramovich, L.I. Koroleva and A.V. Michurin
Anomalies of magnetic, electric and elastic properties of $Sm_{1-x}Sr_xMnO_3$ manganites due to phase separation 319

H. Nakayama, H. Mashita, E. Kulatov, R. Funahashi and H. Ohta
MBE growth and properties of room-temperature (Ga,Mn)N–Mn_4N granular magnetic semiconductors 323

Multilayers and semiconductors

P.D. Kim, J. Kim, K.H. Kim, I.A. Turpanov, L.A. Li, A.M. Mahlaev, Y.H. Lee and D.L. Khalyapin
Observations of domain structure of Co/Cu/Co sandwiches with wedge-shaped Cu spacer via magneto-optical Kerr effect 326

J.M. Pereira Jr. and M.G. Cottam
Interactions between dipole-exchange spin waves in ultrathin antiferromagnetic films 329

V.L. Aksenov, Yu.V. Nikitenko, V.V. Proglyado, M.A. Andreeva, B. Kalska, L. Häggström and R. Wäppling
Polarized neutron reflectometry studies of depth magnetization distribution in Fe/V layered structure 332

S.D. Antipov, Ju.I. Avksentjev, G.E. Gorjunov, I.R. Kamenskikh, A.P. Krasheninnikov, I.A. Panin and P.N. Stetsenko
Magnetic properties and possibility of spontaneous spin-reorientation in the Fe-sublattice of intermetallic compounds $Tm(Fe_{1-x}Rh_x)_2$ 335

H. Lauter, V. Lauter-Pasyuk, B. Toperverg, L. Romashev, M. Milyaev, T. Krinitsina, E. Kravtsov, V. Ustinov, A. Petrenko and V. Aksenov
Domains and interface roughness in Fe/Cr multilayers: influence on the GMR effect 338

T.I. Arbuzova, B.A. Gizhevskii, S.V. Naumov, A.V. Korolev, V.L. Arbuzov, K.V. Shal'nov and A.P. Druzhkov
Temporal changes in magnetic properties of high-density CuO nanoceramics 342

V.S. Gornakov, V.I. Nikitenko, W.F. Egelhoff Jr, R.D. McMichael, A.J. Shapiro and R.D. Shull
Ru spacer thickness dependences of the domain nucleation and growth in Co/Ru/Co synthetic antiferromagnet 345

O. Kazakova, M. Hanson, A.M. Blixt and B. Hjörvarsson
Domain structure of circular and ring magnets 348

A.S. Mischenko, A.K. Zvezdin and B. Barbara
Magnetization hysteresis of magnetic nanoclusters V_{15} in a swept magnetic field 352

A.A. Novakova, V.Yu. Lanchinskaya, A.V. Volkov, T.S. Gendler, Tu.Y. Kiseleva, M.A. Moskvina and S.B. Zezin
Magnetic properties of polymer nanocomposites containing iron oxide nanoparticles 354

V.G. Miagkov, K.P. Polyakova, G.N. Bondarenko and V.V. Polyakov
Granular Fe–Al_2O_3 films prepared by self-propagating high temperature synthesis 358

B.Z. Rameev, F. Yıldız, L.R. Tagirov, B. Aktaş, W.K. Park and J.S. Moodera
ESR study of Co-doped TiO_2 thin films 361

R.F. Sabiryanov, K. Cho, M.I. Larsson, W.D. Nix and B.M. Clemens
Growth and properties of small Co islands on a strained Pt surface 365

Yu.L. Raikher, V.I. Stepanov and P.C. Fannin
Stochastic resonance in a superparamagnetic particle 369

S. Güner, B. Rameev and B. Aktaş
ESR Study on YBiPt compound doped by Er^{3+} and Gd^{3+} 372

B. Heinrich, G. Woltersdorf, R. Urban and E. Simanek
Role of spin current in magnetic relaxations of metallic multilayer films 376

V. Lauter-Pasyuk, H.J. Lauter, B. Toperverg, L. Romashev, M. Milyaev, A. Petrenko, V. Aksenov and V. Ustinov
Ordering in magnetic multilayers by off-specular neutron scattering 382

A.I. Morosov and A.S. Sigov
Proximity effect in ferromagnet–antiferromagnet systems 388

S.O. Demokritov, A.B. Drovosekov, D.I. Kholin and N.M. Kreines
Temperature dependence of interlayer coupling in a Fe/Cr/Fe wedge sample. MOKE and MBLS studies 391

L.A. Prozorova, L.E. Svistov, A.I. Smirnov, O.A. Petrenko, L.N. Demianets and A.Ya. Shapiro
Triangular lattice antiferromagnet $RbFe(MoO_4)_2$ in an applied magnetic field 394

M. Markina, A. Vasiliev, J. Mueller, M. Lang, K. Kordonis, T. Lorenz, M. Isobe and Y. Ueda
Thermal properties of NaV_2O_5 398

Miscellaneous

N.M. Plakida
Antiferromagnetism and superconductivity in cuprates 401

A.Y. Aladyshkin, A.A. Fraerman, S.A. Gusev, A.Y. Klimov, Y.N. Nozdrin, G.L. Pakhomov, V.V. Rogov and S.N. Vdovichev
Influence of ferromagnetic nanoparticles on the critical current of Josephson junction 406

B. Aktaş, S. Güner, F. Yıldız, A. Nateprov, A. Siminel and L. Kulyuk
ESR study on Cr^{3+} and Mn^{2+} doped $ZnAl_2S_4$ single crystal 409

V.Yu. Galkin, W.A. Ortiz and N. Ali
Spin glass-like behavior in spin-density-wave CrCoMn alloys 413

Y. Köseoğlu, F. Yildiz, J.V. Yakhmi, J. Qin, X. Chen and B. Aktaş
EPR studies on BEDT-TTF intercalated $MnPS_3$ molecular magnet 416

F.A. Mikailov, B.Z. Rameev, A.M. Kulibekov, E. Şentürk and B. Aktaş
EPR study of the structural phase transitions in chromium doped thallium indium disulphide 419

S. Budak, F. Yıldız, M. Özdemir and B. Aktaş
Electron spin resonance studies on single crystalline Fe_3O_4 films 423

I.S. Tereshina, S.A. Nikitin, J. Stepien-Damm, W. Suski, A.A. Salamova and V.N. Verbetsky
Structure and magnetic properties of $Ho_2Fe_{17}H_x$ ($x = 0; 3$) single crystals 427

K. Kumagai, K. Kakuyanagi, Y. Matsuda and M. Hasegawa
Antiferromagnetic vortex core in HTSC studied by spatially resolved NMR 430

Magnetic fluids

V.V. Gogosov and G.A. Shaposhnikova
Influence of double electrical layers on the diffusion of magnetic particles in the ionic magnetic fluids 436

V.A. Naletova, A.S. Kvitantsev and V.A. Turkov
Movement of a magnet and a paramagnetic body inside a vessel with a magnetic fluid 439

V. Stepanov
Magnetoviscosity and relaxation in magnetic fluids 443

P.C. Fannin
Investigating magnetic fluids by means of complex susceptibility measurements 446

V.L. Aksenov, M.V. Avdeev, M. Balasoiu, D. Bica, L. Rosta, Gy. Török and L. Vekas
Aggregation in non-ionic water-based ferrofluids by small-angle neutron scattering 452

G. Bossis, P. Khuzir, S. Lacis and O. Volkova
Yield behavior of magnetorheological suspensions 456

Y.L. Raikher and V.V. Rusakov
Theoretical models for AC-field probing of complex magnetic fluids 459

Y.D. Sobral and F.R. Cunha
A stability analysis of a magnetic fluidized bed 464

L.V. Nikitin, G.V. Stepanov, L.S. Mironova and A.N. Samus
Properties of magnetoelastics synthesized in external magnetic field 468

S.S. Kantorovich
Electronic structure and magnetic properties of GdM_2 compounds 471

A. Józefczak, A. Skumiel and M. Łabowski
Effects of the sweep rate of the magnetic field on the changes of ultrasonic wave velocity in magnetic fluid 474

Yu.L. Raikher and O.V. Stolbov
Magnetodeformational effect in ferrogel samples 477

V.V. Klechkovskaya, L.V. Nikitin, N.D. Stepina and I.S. Zanaveskina
Self-assembly of magnetic multilayer polymer films on the base of polyelectrolytes and magnetic suspensions 480

Materials and applications

G. Asti, M. Ghidini, R. Pellicelli and M. Solzi
The activated torsion oscillation magnetometer 484

T. Ueno, J. Qiu and J. Tani
Device of magnetostrictive and piezoelectric materials for magnetic force control 490

T. Uchimoto, T. Takagi, S. Konoplyuk, T. Abe, H. Huang and M. Kurosawa
Eddy current evaluation of cast irons for material characterization 493

V.D. Buchelnikov and S.I. Bosko
The kinetics of phase transformations in ferromagnetic shape memory alloys Ni–Mn–Ga 497

A.V. Andreev, Y. Homma and Y. Shiokawa
Sublattice contributions to magnetic anisotropy of $U_2(Fe, Si)_{17}$ single crystals 500

A.S. Lileev, Yu.D. Yagodkin, M. Reissner and W. Steiner
Mössbauer and X-ray diffraction investigation of nanocrystalline Fe–O alloys 504

D.A. Filippov, V.V. Khovailo, V.V. Koledov, E.P. Krasnoperov, R.Z. Levitin, V.G. Shavrov and T. Takagi
The magnetic field influence on magnetostructural phase transition in $Ni_{2.19}Mn_{0.81}Ga$ 507

B.K. Ponomarev, A.I. Popov, J. van Tol, H. Wiegelmann, A.G.M. Jansen, P. Wyder and B.S. Red'kin
Magnetism of singlets in terbium molybdate 510

E.P. Yelsukov, A.I. Ul'yanov, A.V. Zagainov and N.B. Arsent'yeva
Hysteresis magnetic properties of the $Fe(100-x)C(x)$; $x = 5$–25 at% nanocomposites as-mechanically alloyed and after annealing 513

L.G. Antoshina, A.N. Goryaga and A.I. Kokorev
Magnetic anisotropy in ferrites–spinels with frustrated magnetic structure 516

A.E. Baranovskiy, G.E. Grechnev, I.V. Svechkarev and O. Eriksson
Electronic structure and magnetic properties of GdM_2 compounds 520

A.A. Cherechukin, V.V. Khovailo, R.V. Koposov, E.P. Krasnoperov, T. Takagi and J. Tani
Training of the Ni–Mn–Fe–Ga ferromagnetic shape-memory alloys due cycling in high magnetic field 523

P. Gorria, V.M. Prida, J.I. Paredes and B. Hernando
Structural characterisation of soft magnetic nanostructured alloys using AFM and powder diffraction 526

S.A. Granovsky and A.S. Markosyan
Large crystal structure distortion in DyB_6 studied by X-ray diffraction 529

A.D. Balaev, L.N. Bezmaternykh, I.A. Gudim, V.L. Temerov, S.G. Ovchinnikov and S.A. Kharlamova
Magnetic properties of trigonal $GdFe_3(BO_3)_4$ 532

V.Yu. Ivanov, A.A. Mukhin, V.D. Travkin, A.S. Prokhorov and A.M. Balbashov
Phase T–x diagram of $Sm_{1-x}Sr_xMnO_3$ single crystals ($0 \leqslant x \leqslant 0.8$) 535

E.V. Kaevitser, S.D. Kaloshkin, V.V. Tcherdyntsev, Yu.V. Baldokhin and B.V. Jalnin
Structure transformation and elements redistribution at heating of $Fe_{73.5}Nb_3Cu_1Si_{13.5}B_9$ amorphous alloy 539

V.P. Glazkov, S.E. Kichanov, D.P. Kozlenko, B.N. Savenko and V.A. Somenkov
Pressure-induced changes in magnetic structure of $FeBO_3$ 543

G.F. Korznikova, T. Czeppe and A.V. Korznikov
Temperature dependence of magnetisation of intermetallic compound $GdFe_{11}Ti$ in different structural states 545

V.V. Kostyuchenko and A.K. Zvezdin
Phase transitions in magnetics with two compensation points induced by magnetic field directed perpendicular to the easy axes 548

B. Kundys, Y. Bukhantsev, H. Szymczak, M.R.J. Gibbs and R. Żuberek
Determination of temperature dependence of saturation magnetostriction for $Fe_{81}Si_{3.5}B_{13.5}C_2$ amorphous film using strained substrate technique 551

A.V. Andreev, D.A. Filippov, R.Z. Levitin and V.V. Snegirev
The origin of low magnetic anisotropy of UFe_2: investigation of magnetization and magnetostriction of a $U_{0.8}Lu_{0.2}Fe_2$ single crystal 555

V.P. Menushenkov and A.G. Savchenko
Effects of post-sintering annealing on magnetic properties of Nd–Fe–B sintered magnets 558

T. Palewski, N.V. Tristan, K. Nenkov, K. Skokov and S.A. Nikitin
Magnetization and specific heat of the Ho_3Co compound 561

O. Prokhnenko, C. Ritter, I. Medvedeva, Z. Arnold, J. Kamarád and A. Kuchin
Neutron diffraction study of Lu_2Fe_{17} under high pressure 564

S. Zaichenko, A. Radkovskaya, A. Sivov and A. Glezer
Influence of boundary conditions on the parameters of the low-temperature ΔT effect 567

S. Zaichenko, S. Roth and A. Glezer
Influence of the internal stresses relaxation on magnetic properties of Finemet-type amorphous alloy 571

I.Yu. Gaidukova, A.S. Markosyan and V.E. Rodimin
Temperature-induced itinerant metamagnetism in $R_{1-x}Y_xCo_3$ systems (R = Ho, Tb) 574

N. Talijan, T. Zák, J. Stajić-Trosić and V. Menushenkov
Effect of cooling rate on the microstructure and magnetic properties of melt spun Nd–Fe–B alloys 577

A.G. Temiryazev, M.P. Tikhomirova and I. Fedorov
Surface domains in inhomogeneous yttrium iron garnet films 580

N.V. Tristan, S.A. Nikitin, T. Palewski, K. Nenkov and K. Skokov
Specific heat of the Gd_3Co and Gd_3Ni compounds 583

Yu.D. Yagodkin, A.S. Lileev, J.V. Lyubina, E.N. Shingarev, V.A. Glebov and V.S. Nefedov
Structure and magnetic properties of nanocrystalline alloys based on $Nd_2Fe_{14}B$ obtained by various techniques 586

Z.A. Kazei, A.A. Demidov and N.P. Kolmakova
Magnetic ordering near crossover in singlet paramagnets 590

S.D. Antipov, G.E. Gorjunov, G.V. Smirnitskaja and P.N. Stetsenko
Oscillations of magnetic parameters in Fe/Mo superlattices 594

A. Kajima, R. Nakayama, T. Fujii and M. Inoue
Variation of dielectric permeability by applying magnetic field in nano-composite Bi_2O_3–Fe_2O_3–$PbTiO_3$ sputtered films 597